# Installation instructions



for contractors

## Radial fan replacement

for the Vitodens 100-W, type WB1B

### Safety instructions



Please follow these safety instructions closely to prevent accidents and material losses.

#### Safety instructions explained



#### Danger

This symbol warns against the risk of injury.

#### Note

Details identified by the word "Note" contain additional information.

Installation, initial start-up, inspection, maintenance and repairs must only be carried out by a competent person (heating engineer/installation contractor). Before working on the equipment/ heating system, isolate the power supply (e.g. by removing a separate mains fuse or by means of a mains isolator) and safeguard against unauthorised reconnection.

When using gas as fuel, also close the main gas shut-off valve and safeguard against unauthorised reopening.

Repairing components which fulfil a safety function can compromise the safe operation of your heating system.

For replacements, use only original spare parts supplied or approved by Viessmann.


### Opening the Vitodens and removing the burner



Installation and service instruc-

Dispose after installation.

## Replacing the radial fan



- Undo two screws and remove fan

   A with gas valve B and venturi nozzle C.
- 2. Undo two screws and remove gas valve (B) together with venturi nozzle from fan (A).
- Fit new fan (A) with new gasket (C) to gas valve (B).
   Fixing screw torque: 3 Nm.
- Fit new fan A with gas valve B and new gasket D to burner. Fixing screw torque: 4 Nm.
- 5. Install the burner.

#### Note

Insert new gaskets on all gas connections.

5355 081 GB

## Replacing the radial fan (cont.)

6. Start up the boiler and check for tightness.



Installation and service



## Danger

Escaping gas leads to a risk of explosion. Check gas equipment for tightness.

Printed on environmentally friendly, chlorine-free bleached paper

5355 081 GB Subject to technical modifications.

Viessmann Werke GmbH&Co KG D-35107 Allendorf Telephone: +49 6452 70-0 Fax: +49 6452 70-2780 www.viessmann.com

Viessmann LimitedImage: Second stateHortonwood 30, TelfordShropshire, TF1 7YP, GBTelephone: +44 1952 675000Fax: +44 1952 675040E-mail: info-uk@viessmann.com