Maintenance Checklist

for contractors



Vitodens 100-W Type B1KG, B1HG

Safety instructions



Please follow these safety instructions closely to prevent accidents and material losses.

Installation, commissioning, inspection, maintenance and repairs must only be carried out by a competent person (heating engineer/installation contractor). For heat pumps: work on the refrigerant circuit may only be carried out by authorised refrigeration engineers.

Before working on the appliance/heating system, isolate it from the power supply (e.g. by removing a separate mains fuse or by means of a mains isolator) and safeguard against unauthorised reconnection. When using gas as fuel, also close the main gas shutoff valve and safeguard against unauthorised reopening.

Check for gas tightness after installation.

Maintenance work on parts that fulfil a safety function is not permitted. For replacements, use only original spare parts supplied or approved by Viessmann. Install the components with new gaskets.

You can identify and order maintenance parts and spare parts directly online.

Maintenance parts and spare parts

Viessmann Partnershop

Login:

shop.viessmann-climatesolutions.com



Maintenance parts and spare parts

Viessmann spare part app

Web application

www.viessmann.com/etapp



ViParts app



4750007921 GB 3/2025 Please keep safe.



Steps to be followed

Step		Completed
1.	Filling the heating system	
2.	Checking all connections on the heating water and DHW sides for leaks	
3.	Removing the front panel	
4.	Checking the static pressure and supply pressure	
5.	Removing the burner	
6.	Checking the burner gasket and burner gauze assembly	
7.	Checking and adjusting the ignition and ionisation electrodes	
8.	Checking the back draught safety devices	
9.	Cleaning the heating surfaces	
10.	Checking the condensate drain and cleaning the trap	
11.	Installing the burner	
12.	Checking the neutralising system (if installed)	
13.	Checking the flow limiter (only for gas condensing combi boiler)	
14.	Checking the expansion vessel and system pressure	
15.	Checking the safety valve function	
16.	Checking the electrical connections for firm seating	
17.	Checking all gas equipment for leaks at operating pressure	
18.	Fitting the front panel	
19.	Checking the combustion quality	
20.	Checking the flue system for unrestricted flow and leaks	
21.	Checking the external LPG safety valve (if installed)	

Viessmann Climate Solutions SE 35108 Allendorf / Germany A Carrier Company Telephone: +49 6452 70-0

Fax: +49 6452 70-2780 www.viessmann.com